

LXN7108-P8



8CH 1 HDD NVR with 8CH PoE

Key Features


- H.265/H.264 video Compression
- Up to 8 MP Resolution Recording
- 8 Independent PoE Ports
- 1 x Independent HDMI (4K, 3840 × 2160) and VGA
- AI by Camera: Face Detection, VCA, MD2.0, LPR
- Supports remote configuration and management of IPC, such as setting parameters, getting information, batch upgrading
- Supports Third-Party Network Cameras
- P2P remote management with APP

Specification

Video/Audio	
IP Video Input	8-ch
Recording Resolution	8MP; 4MP; 1080p;
HDMI Output Resolution	4K (3840 × 2160), 1920 × 1080
VGA Output Resolution	1920 × 1080, 1280 × 1024, 1280 × 720
Two-way Audio Input	1-ch, RCA
Audio Output	1-ch, RCA
Third-party Camera Access	ONVIF; RTSP
Decoding	
Decoding Format	H.265; H.264; MJPEG
Live View/Playback Resolution	8MP; 6MP; 5MP; 4MP; 3MP; 1080p; 720p; D1; VGA; CIF
Decoding Capability	2-ch @ 8MP(30fps)/ 8-ch @ 1080p(30fps)
Synchronous Playback	1, 4, 8, 9 views
Intelligent	
MD2.0	8-ch, MD2.0 by Camera
VCA	8-ch, Line Crossing by Camera
Face Detection	4-ch, Face Detection by Camera
License Plate Recognition	4-ch, LPR by Camera
Smart Search	Search by target classification, pictures by channel, time and event type
Network	
Incoming Bandwidth	80 Mbps
Outgoing Bandwidth	60 Mbps
Network Protocol	HTTP; HTTPS; TCP/IP; IPv4/IPv6; UPnP; SNMP; RTSP; UDP; SMTP; NTP; DHCP; DNS; DDNS
Network Interface	1, RJ-45 10/100 Mbps self-adaptive Ethernet Interface
PoE Interface	8, RJ-45 10/100 Mbps self-adaptive Ethernet interface
PoE Standard	IEEE 802.3 af/at
APP	PRO-X
Auxiliary Interface	
SATA	1 SATA interface
Capability	Up to 10TB
USB Interface	Front panel: 1 × USB 2.0; Rear panel: 1 × USB 2.0
General	
Power Supply	48 V/53 VDC, 2 A/1.8 A
Power Consumption	< 10 W (HDD not included,) Total output: 72W, Single Port Max output: 25.5W
Working Temperature	−10 °C to +55 °C (+10 °F to +131 °F)
Working Humidity	10% to 90%

Product Dimensions	260.0 mm × 233.2mm × 43.7 mm (10.24" × 9.18" × 1.72")(W × L × H)
Weight	0.92 kg (2.03 lb), without HDD
Certifications	FCC

Dimensions (mm[inch])



Physical Interface

