


CMR6262P CMR6262BP


600 TVL IR Bullet Camera



Key features

- 600 TVL Horizontal Resolution
- True Day/Night
- 3.6mm Fixed Lens
- 100ft IR Distance
- Plastic housing
- Wide Operating Temperature Range:
-40° C to 60° C (-40° F to +140° F)

Dimensions



	CMR6262P CMR6262BP
Camera	
Image Sensor	1/3" Sensor
Signal System	NTSC / PAL(Euro Version)
Effective Pixels	NTSC:720 (H) × 480 (V); PAL:720 (H) × 582 (V)
Min. Illumination	0.1 Lux @ (AGC ON),0 Lux with IR
Shutter speed	NTSC: 1/30 s to 1/15,000 s PAL: 1/25 s to 1/15,000 s
Lens	3.6 mm
Day & Night	IR cut filter with auto switch
Horizontal Resolution	600 TVL
Synchronization	Internal synchronization
Video Output	1Vp-p composite output (75Ω/BNC)
S/N Ratio	More than 52 dB
General	
Working Temperature/Humidity	-40° F - 140° F (-40° C - 60° C) Humidity 90% or less (non-condensing)
Power Supply	12V DC
Power Consumption	Max. 2 W
Infrared Red Lamps	24 pcs
IR Range	100ft(30m)
Dimensions	Φ2.76" × 5.89" (Φ70×149.5 mm)
Weight	0.6lb(300 g)